


REMARKS

Preliminary to the examination, the claims have been amended to more clearly distinguish from the prior art. In particular, the independent claims 1, 11 and 42 have now been amended to exclude compounds in which W is an aryl group and compounds in which Y is a monovalent as compared to a divalent group. This is believed to distinguish from the previously cited JP58095344A (JP' 344). In point of fact, in compound DP-6, on page 23 of JP '344, the Y group is a monovalent group NO₂. Also, compounds DP-9, DP-12, DP-17, DP-20, and DP-25 all have a W group that is an aromatic ring, which is no longer covered by the present claims.

Favorable reconsideration of the application in view of these amendments is respectfully requested.

Attached hereto is a marked up version of the changes made to the claims by the current amendment. The attached page(s) is captioned "Version With Markings To Show Changes Made."

Respectfully submitted,



Attorney for Applicants
Registration No. 30,721


Chris P. Konkol/amb
Rochester, NY 14650
Telephone: (716) 722-0452
Facsimile: (716) 477-1148

Version With Markings To Show Changes Made

In the Claims:

Please amend claims 1, 11, 13 and 42 as follows:

1. (Thrice amended) A photographic or photothermographic imaging element comprising an imaging layer having associated therewith a compound of Structure I:



I

wherein:

PUG is a photographically useful group;

LINK 1 and LINK 2 are linking groups;

TIME is a timing group;

l is 0 or 1;

m is 0, 1, or 2;

n is 0 or 1;

Y is C, N, O or S;

X is a substituted or unsubstituted aryl group or an electron-withdrawing group;

W is hydrogen, halogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group, or W can combine with T or R₁₂ to form a ring, w is 0 to 3 when Y is C, w is 0-2 when Y is N, and w is 0-1 when Y is O or S, when w is 2, the two W groups can combine to form a ring, and when w is 3, two W groups can combine to form a ring or three W groups can combine to form [an aryl group or] a bicyclic substituent;


$R_{1,2}$ is hydrogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group or $R_{1,2}$ can combine with T to form a ring;

T is a substituted or unsubstituted alkyl, cycloalkyl, aryl or six-membered heterocyclic group, t is 0, 1, or 2, with the proviso that when X is a cyano or sulfonyl group t is 1 or 2, when t is 2 the two T groups can combine to form a ring;

[a is 1 or when] X is divalent, a is 1 or 2[;], and

b is 1 [when X is divalent and 0 when X is monovalent];

where LINK 1 and LINK 2 is independently of Structure II:



II

wherein

X' represents carbon or sulfur;

Y' represents oxygen, sulfur or N- R_1 , where R_1 is substituted or unsubstituted alkyl or substituted or unsubstituted aryl;

p is 1 or 2;

Z represents carbon, oxygen or sulfur;

r is 0 or 1;

with the proviso that when X is carbon, both p and r are 1, when X is sulfur, Y is oxygen, p is 2 and r is 0;


denotes the bond to PUG (for LINK 1) or TIME (for LINK 2):

\$ denotes the bond to TIME (for LINK 1) or T_0 substituted carbon (for LINK 2); and

wherein PUG is a development inhibitor, bleach accelerator, bleach inhibitor, inhibitor releasing developer, dye precursor, developing agent, silver ion fixing agent, electron transfer agent, silver halide solvent, silver halide

complexing agent, reductone, image toner, pre-processing or post-processing image stabilizer, nucleator, or precursor thereof.

11. (Thrice Amended.) A photographic, photothermographic, or thermographic imaging element comprising an imaging layer having associated therewith a compound of Structure III:



III

wherein:

Z is OH or NR_2R_3 , where R_2 and R_3 are independently hydrogen or a substituted or unsubstituted alkyl group or R_2 and R_3 are connected to form a ring;

R_5 , R_6 , R_7 , and R_8 are independently hydrogen, halogen, hydroxy, amino, alkoxy, carbonamido, sulfonamido, alkylsulfonamido or alkyl, or R_5 can connect with R_3 or R_6 and/or R_8 can connect to R_2 or R_7 to form a ring;

T is a substituted or unsubstituted alkyl cycloalkyl, aryl or six-membered heterocyclic group, t is 0, 1, or 2, with the proviso that when X is a cyano or sulfonyl group, t is 1 or 2, when t is 2, the two T groups can combine to form a ring;

R_{12} is hydrogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group or R_{12} can combine with T or W to form a ring;

X is a substituted or unsubstituted aryl group or an electron-withdrawing group;

Y is C, N, O or S;



X is divalent, a is [1 when X is monovalent and] 1 or 2, [when X is divalent;] and b is [0 when X is monovalent and] 1 [when X is divalent];





W is hydrogen, halogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group, or W can combine with T to form a ring, w is 0 to 3 when Y is C, w is 0-2 when Y is N, and w is 0-1 when Y is O or S, when w is 2, the two W groups can combine to form a ring, and when w is 3, two W groups can combine to form a ring or three W groups can combine to form [an aryl group or] a bicyclic substituent.--

13. An imaging element according to claim 11, wherein the compound of Structure III is of the formula:


deleted structure

deleted structure





42. (Once Amended) A photographic, photothermographic, or thermographic imaging element comprising an imaging layer having associated therewith a compound of Structure I:



I

wherein:

PUG is a developing agent;

LINK 1 and LINK 2 are linking groups;

TIME is a timing group;

l is 0 or 1;

m is 0, 1, or 2;

n is 0 or 1;

Y is C, N, O or S;


X is a substituted or unsubstituted aryl group or an electron-withdrawing group;

W is hydrogen, halogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group, or W can combine with T or R₁₂ to form a ring, w is 0 to 3 when Y is C, w is 0-2 when Y is N, and w is 0-1 when Y is O or S, when w is 2, the two W groups can combine to form a ring, and when w is 3, two W groups can combine to form a ring or three W groups can combine to form [an aryl group or] a bicyclic substituent;

R₁₂ is hydrogen, or a substituted or unsubstituted alkyl, cycloalkyl, aryl or heterocyclic group or R₁₂ can combine with T to form a ring;

T is a substituted or unsubstituted alkyl cycloalkyl, aryl or six-membered heterocyclic group, t is 0, 1, or 2, with the proviso that when X is a cyano or sulfonyl group t is 1 or 2, when t is 2 the two T groups can combine to form a ring;

[a is 1 or when] X is divalent, a is 1 or 2[;], and
 b is 1 [when X is divalent and 0 when X is monovalent];
 where LINK 1 and LINK 2 is independently of Structure II:



II

wherein

X represents carbon or sulfur;

Y represents oxygen, sulfur or N-R₁, where R₁ is substituted or unsubstituted alkyl or substituted or unsubstituted aryl;

p is 1 or 2;

Z represents carbon, oxygen or sulfur;

r is 0 or 1;

with the proviso that when X is carbon, both p and r are 1, when X is sulfur, Y is oxygen, p is 2 and r is 0;

denotes the bond to PUG (for LINK 1) or TIME (for LINK 2);

\$ denotes the bond to TIME (for LINK 1) or T₀ substituted carbon (for LINK 2).

Please add the following new Claims 43, 44, and 45 as set forth below:

43. The imaging element of claim 1 wherein a is 2.
44. The imaging element of claim 11 wherein a is 2.
45. The imaging element of claim 42 wherein a is 2.